### Advanced Spirito Libero POLYSHOWER MATT PART A

Prepared 26 November 2019

Classified as hazardous according to criteria of Worksafe Australia

#### Section 1:

# Identification of the Substance/Mixture and of the Company

#### 1.1 Product Identified

Trade Name: Polyshower Matt Part A

Other Names: None Listed

Product Code: 035

#### 1.2 Relevant identified uses of the product

Application: Transparent matt finish for use over Resin Stucco Microcement

#### 1.3 Details of the Supplier

Company Details Speziari Imports Pty Ltd

Address 34/324 Settlement Rd Thomastown Vic 3074

Telephone/Fax 0409 604 448

Emergency Telephone 0409 604 448

Other Information Note: For the most up-to-date information for this data sheet, please refer to the website. www.venetianplastershop.com.au

The information contained in this safety data sheet is accurate on the date of issue and in accordance with the information available at that time. Persons dealing with products referred to in this safety data sheet do so at their own risk. Giorgio Graesan accepts no liability whatsoever for damage or injury, however caused, arising from use of this information or of suggestions contained herein.

### Advanced Spirito Libero POLYSHOWER MATT PART A

Prepared 26 November 2019

#### Section 2:

#### **Hazards Identification**

2.1 Classification of product

Skin Irr.2.H315, Eye Irr.2.H319, Flamm liq.2.H225, Aspir Haz.1.H304,STOT.Exp.2.H373

2.2 Label Element

Pictograms: GH507, GH508, GH502

Signal Words: DANGER

Hazard Statements: H319 Causes serious eye irritation

H315 Causes skin irritation

H225 Highly flammable liquid and vapour

H304 May be fatal if swallowed and enters airways

H373 May cause damage to organs through prolonged or

repeated exposure

**Precautionary Statement:** 

P280 Wear protective gloves/eye and face protection

P210 Keep away from heat/sparks/open flames/hot surfaces - No smoking.

P331 Do Not induce vomiting

P301+P310 If swallowed – Immediately call a Poison Centre or Doctor/Physician

P370 + P378 In case of fire use carbon dioxide, foam, chemical powder

P233 Keep container tightly closed

Contains Xylene (Mixture of Isomers - Ethylbenzen

2.3 Other Hazards

Not relevant

### Advanced Spirito Libero POLYSHOWER MATT PART A

Prepared 26 November 2019

### Section 3:

### Composition/information on ingredients

#### 3.1 Mixtures

The following substances shall be indicated according to legislation

%	CAS-No.	Chemical Name	Hazard Classific	eation
30-40% 108-65-6		2-Methoxy-1-Methylethly		
		Acetate		Flam Liq.3 H226
15-16.5%	1330-20-7	Xylene (Mixture of Isom	ers)	Eye Irrit.2 H319
				Flam Liq.3 H226
				Acute Tox.4 H312, H332
				Asp. Tox.1 H304
				STOT RE.2 H373
				STOT SE.3 H335
3-3.5%	100-41-4	Ethylbenzene		Flam. Liq.2 H225
				Acute Tox.4 H332
				Asp. Tox.1 H304
				STOT RE.2 H373
1-1.5%	110-19-0	Isobutyl Acetate		Flam. Liq.2 H225
				Skin Irrit. EUH066
0.1-0.15%	111-76-2	Butoxyethanol		Acute Tox.4 H302, H312, H332
				Eye Irrit.2 H319
				Skin Irrit.2 H315

Sole distributor for Australia of Giorgio Graesan & friends products:

Advanced Spirito Libero POLYSHOWER MATT PART A

Prepared 26 November 2019

### Section 4: First Aid Measures

#### 4.1 Description of first aid measures

Eye Contact: Remove contact lenses if present. Flush eyes with large amount of water for at least 15 minutes, holding the eyelids apart. Seek medical attention if problem persists.

Skin Contact: Remove contaminated clothing immediately. Wash affected areas thoroughly with soap and water. Wash contaminated clothing before re-use

Inhalation: Move subject to fresh air. Seek medical advice

Ingestion: Seek medical advice/attention immediately

4.2 Symptoms caused by exposure

**Eye Contact: No information available** 

Skin Contact: No information available

4.3 Medical attention and Special Treatment

No information available

Advanced Spirito Libero POLYSHOWER MATT PART A

Prepared 26 November 2019

## Section 5: Fire Fighting Measures

#### 5.1 Suitable extinguishing media

Extinguishing media: Carbon dioxide, foam, chemical powder. Water can be used to disperse flammable vapours and to cool containers exposed to flames

#### 5.2 Specific Hazards

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products

#### 5.3 Special protection equipment and precautions for firefighters

Firefighters: Chemical-resistant clothing should be used along with respiratory protection.

Collect extinguishing water to prevent it from draining into waterways

Advanced Spirito Libero POLYSHOWER MATT PART A

Prepared 26 November 2019

### Section 6:

### **Accidental Release Measures**

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid inhalation and contact with skin or eyes. Wear suitable

protective equipment. Eliminate all sources of ignition

6.2 Environmental precautions

Environmental precautions: Do not allow this product to be released in to storm

water drains, creeks or open bodies of water. Dispose in

accordance with local regulations.

6.3 Methods and materials for containment and cleanup

Cleaning up spillage: Aspirate spilled product into a suitable container. Absorb remaining

material with inert absorbent material. Ensure sufficient ventilation of the affected areas. Dispose contaminated material in accordance

to local guidelines

### Advanced Spirito Libero POLYSHOWER MATT PART A

Prepared 26 November 2019

## Section 7: Handling and Storage

#### 7.1 Precautions for safe handling

Safe handling: Avoid contact with skin and eyes

Avoid dispersal of product into environment

Do not eat, drink or smoke while using this product

Keep away from heat, sparks and naked flame

Ensure adequate ventilation

#### 7.2 Conditions for safe storage, including any incompatibilities

Incompatibilities: None known

Storage: Store in clearly labelled containers.

Keep containers closed, in a well ventilated area, away from direct

sunlight

Store away from heat, naked flames and other sources of ignition

### Advanced Spirito Libero POLYSHOWER MATT PART A

Prepared 26 November 2019

#### **Section 8:**

### **Exposure Controls/Personal Protection**

#### 8.1 Control Parameters

#### Occupational exposure limits:

No exposure standards have been established for this material. However the available exposure limits for ingredients are listed below.

CAS-No	Chemical Name	<b>Exposure Limits</b>	Туре	References
108-65-6	2-Methoxy-1-Methylethyl Acetate	274mg/m3	TWA	
1330-20-7	Xylene (Mixture of Isomers)	220mg/m3	TWA	
100-41-4	Ethylbenzene	441/mg/m3	TWA	
110-19-0	Isobutyl Acetate	724/mg/m3	TWA	
111-76-2	Butoxyethanol	123/mg/m3	TWA	

#### 8.2 Exposure Controls

Engineering measures: Provide adequate ventilation. Observe occupational

exposure limits and minimise the risk of contact with skin and eyes.

Personal protection: Personal protection equipment should be chosen in

discussion with the supplier of the personal protective equipments

Respiratory equipment: In case of exceeding the threshold value (TLV-TWA) of the substance or one

or more of the substances present in the product, a mask with type AX filter

is recommended

Hand protection:

Wear protective gloves. Impervious material such as PVC

is recommended

Eye Protection: Safety glasses/goggles

Hygiene measures: Remove contaminated clothing and wash the skin thoroughly with soap and

water after work

**Environmental Exposure Controls:** Not available

### Advanced Spirito Libero POLYSHOWER MATT PART A

Prepared 26 November 2019

### Section 9:

Physical and Chemical Properties.

#### 9.1 Physical and Chemical Properties

Appearance: Viscous clear liquid

Odour: Slight odour

Odour threshold: Not available

pH: Not available

Flash point: < 23°C

Solubility in water: Not available

Stability: Not available

#### 9.2 Other Information

VOC: Moderate - 50-99 g/L

Auto ignition Temp: Not available

Advanced Spirito Libero POLYSHOWER MATT PART A

Prepared 26 November 2019

Section 10:

Stability and reactivity

10.1 Reactivity

Reactivity: None Known

10.2 Chemical Stability

Chemical stability: Product is stable under normal temperature conditions

10.3 Conditions to avoid

Conditions/material to avoid: Avoid heat, sparks, open flames and other ignition sources

10.4 Incompatible material and possible hazardous reactions

Incompatible materials: May react with oxidising substances, strong acids, alkaline

metals, aluminium

Hazardous reactions: Information not available.

10.5 Hazardous decomposition products

Hazardous decomposition products: In the event of thermal decomposition or fire, gases

and vapours that are potentially dangerous to health may be

released

### Advanced Spirito Libero POLYSHOWER MATT PART A

Prepared 26 November 2019

Section 11:

**Toxicological Information** 

11.1 Information and symptoms related to exposure

Acute Toxicity: LC50 (inhalation) of the mixture: >20 mg/l

LD50 (dermal) of the mixture: 2000mg/kg

Skin Corrosion/Irritation: Causes skin irritation

Serious Eye Damage/Irritation: Causes serious eye irritation

Respiratory or Skin Sensitisation: Does not meet the classification criteria for this hazard class

Germ Cell Mutagenicity: Does not meet the classification criteria for this hazard class

**Specific Target Organ Toxicity STOT:** 

Single Exposure: Does not meet the classification criteria for this hazard class

Repeated Exposure May cause damage to organs

Aspiration Hazard: Toxic for aspiration

11.2 Numerical measures of toxicity

Numerical measures: No data available

11.3 Immediate, delayed or chronic health effects from exposure

Immediate: Irritation of the skin and eyes

Delayed: Allergic skin reaction, irritation and possible injury to eyes

Chronic: No data available

11.4 Exposure levels

Exposure levels: No data available

11.5 Interactive effects

Inhalation: No information available.

Skin contact: Sensitivity of the skin can lead to greater risk of allergic skin reactions.

11.6 Data limitations

Data limitations: Not relevant

Advanced Spirito Libero POLYSHOWER MATT PART A

Prepared 26 November 2019

Section 12:

**Ecological Information** 

12.1 Toxicity

Eco Toxicity: Information not available

12.2 Degradability

Degradability: Information not available

12.3 Bio-accumulative Potential

Bio-accumulative potential: No data available

12.4 Mobility in soil

Mobility in soil: No data available

12.5 Other adverse effects

Other adverse effects: None known

Advanced Spirito Libero POLYSHOWER MATT PART A

Prepared 26 November 2019

Section 13: Disposal Considerations

#### 13.1 Waste disposal

Waste disposal: Dispose of waste in accordance with local regulations. Persons conduction disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section8. Exposure Controls and Personal Protection" of this SDS

### Advanced Spirito Libero POLYSHOWER MATT PART A

Prepared 26 November 2019

Section 14:

**Transport Information** 

14.1 UN number

UN number: ADR/RID, IMDG, IATA

14.2 Proper shipping name:

Proper shipping name: Paint or paint related material

**14.3** Transport hazard class

Transport hazard class: ADR/RID - Class 3 - Label 3

IMDG - Class 3 - Label 3

IATA - Class 3 - Label 3

**14.4** Packing group

Packing group: ADR/RID/IMDG/IATA - 11

14.5 Environmental hazards

Environmental hazards: Not applicable

14.6 Special precautions during transport

Special precautions: ADR/RID- limited quantities - 5L

IMDG - limited quantities - 5L

IATA - maximum quantities - 60L

14.7 Hazchem Code

Hazchem code: Not applicable

Advanced Spirito Libero POLYSHOWER MATT PART A

Prepared 26 November 2019

## Section 15: Regulatory Information

15.1 Safety, health and environmental regulations specific for the product

Regulations: Not relevant

15.2 Poisons Schedule number

Schedule number: Not relevant

## Section 16: Other Information

This Safety Data Sheet has been compiled on the date at the top of the first page. Safety data sheets are updated frequently. Please ensure that you have a current copy.

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely hand and use the product in the workplace. Each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace